vet:kem[®] FLEA, TICK AND BOT SPRAY

- Kills and repels fleas, ticks, lice, flies, mosquitoes, and gnats
- · Kills and repels Lyme disease-carrying ticks
- · Kills flea eggs
- · Prevents botfly eggs from hatching
- Quick acting
- · For dogs, puppies, cats, kittens, horses, and ponies

2 MONTHS PROTECTON

ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6)	0.27%
Pyrethrins (CAS #8003-34-7)	
Piperonyl Butoxide (CAS #51-03-6)	
N-octyl Bicycloheptene Dicarboximide (CAS #113-48-4)	
OTHER INGREDIENTS*:	. 98.45%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS, PUPPIES, CATS, KITTENS, HORSES, AND PONIES

HOW VET-KEM[®] FLEA, TICK AND BOT SPRAY WORKS: Vet-Kem[®] Flea, Tick And Bot Spray controls fleas, flea larvae, ticks, lice, mosquitoes, gnats, house flies, stable flies, horn flies, face flies, and horse bots. Botfly eggs and flea eggs sprayed with Vet-Kem[®] Flea, Tick And Bot Spray will not hatch into adults.

Vet-Kem[®] Flea, Tick And Bot Spray combines the adult flea killing power of pyrethrins with the long-lasting egg-killing power of an insect growth regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, a Vet-Kem[®] premise product should also be used. Effective flea control requires treatment of your pets, house, and yard.

Vet-Kem[®] Flea, Tick And Bot Spray contains an insect growth regulator, which effectively kills botfly eggs that have been glued to the hairs on the forelegs, shoulders, and faces of horses, by adult botflies (*Gasterophilus* spp.). If left untreated, botfly larvae emerge from these eggs and are taken into the mouth of the horse. After botfly larvae are swallowed, they attach to the stomach and small intestinal linings in tremendous numbers, where they can remain for months before passing out in the feces. Adult botflies emerge from pupae in the soil to begin the cycle all over again. Botflies have been implicated as a cause of some stomach and intestinal conditions in horses.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **SHAKE WELL BEFORE USING.**

FOR DOGS AND CATS: For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp animal to come into contact with painted or finished



surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover animal's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. With cloth, rub into

face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals. Apply at the rate of 1 or 2 squeezes of the trigger sprayer per pound of body weight. For larger dogs, spray until damp, not saturated. Do not allow animals, cats in particular, to become chilled. Repeat every 2 months for continuous home flea infestation prevention. If your pet becomes reinfested with adult fleas from outside sources, Vet-Kem[®] Flea, Tick And Bot Spray may be reapplied weekly. **For Ticks:** Make sure spray thoroughly wets individual ticks.

FOR PUPPIES AND KITTENS: For Fleas: Leaving the eyes, nose, and mouth exposed, treat puppies and kittens weighing less than 3 pounds by wrapping the animal in a towel that has been lightly sprayed with Vet-Kem[®] Flea, Tick And Bot Spray for 5 to 10 minutes. Or lightly spray a brush or cotton ball and work thoroughly into the hair coat. Fleas may then be removed from the coat by picking or combing. Puppies and kittens over 3 pounds may be treated the same as dogs and cats as described above. Repeat every 2 months for continuous home flea infestation prevention. If your pet becomes reinfested with adult fleas from outside sources, Vet-Kem[®] Flea, Tick And Bot Spray may be reapplied weekly. Do not allow animal to become chilled. Do not use on puppies and kittens under 12 weeks of age.

FOR HORSES AND PONIES: For Flies: Remove excess dirt and dust by brushing coat. Apply spray directly to horse's coat, giving particular attention to legs, shoulders, flanks, neck, and topline. To treat face, dampen a cloth with spray and rub on face and head, being careful to avoid eyes. Repeat every 2 months for continuous fly infestation prevention. If your horse/pony becomes reinfested, Vet-Kem[®] Flea, Tick And Bot Spray may be reapplied weekly. This product is not to be used on horses destined for slaughter. For Prevention of Hatch of Horse Botfly Eggs: Spray any infested areas directly at the first sign of visible eggs, paying particular attention to legs, shoulders, flanks, neck, and topline. Spray to the point of dampness but not to the point of run-off of the spray. For a high degree of botfly egg control, spray animals every 3-5 days during the botfly season.

STORAGE and DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. **Storage:** Do not store near heat or open flame. Store away from children and animals. **Container Handling:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS - CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. May cause dermal sensitization (skin allergy). HAZARDS TO ANIMALS -CAUTION: Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using *ANY* pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Some cats may be sensitive to products containing pyrethrins. Excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful. May cause dermal sensitization (skin allergy).

FIRST AID: Call a poison control center or doctor immediately for treatment advice.	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
If swallowed	 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may	

control center, doctor, or veterinarian or going for treatment. You may also contact 1-888-241-9545 for emergency medical treatment information.

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

For more information, or in case of emergency, call 1-888-241-9545.

ECIMEN LABEL – SPECIMEN LABEL – SPECIMEN LABEL – SPECIMEN LABEL – SPECIMEN LABEL – SPECI

www.vet-kem.com



Distributed by: **PRN Pharmacal** 8809 Ely Road Pensacola, FL 32514

02-2017 AP033016 EPA REG. NO. 2724-404-92895

Vet-Kem and the Vet-Kem design are registered trademarks of Pegasus Laboratories, Inc.

PRN Logo is a trademark of Pegasus Laboratories, Inc.

All other trademarks are property of their respective owners.

Made In USA © 2017 Pegasus Laboratories, Inc.

Product Code: 100527066

ATTENTION: This specimen label is provided for informational use only. This product may not yet be available for sale in your state or area. The information found in this label may differ from the information found on the product label you are using. Always follow the instructions for use and precautions on the label of the product you are using.